


Screening and Exposure Decision Pathways for Symptomatic Persons and Contacts of a Potentially Infected Persons at Educational Institutions

*Los Angeles County Department of Public Health
Updated: 11/18/2020*

**Screening and Exposure Decision Pathways for
Children at an Educational Institution and Their Close Contacts at the Facility**

Decision Pathways for Children Screened for Symptoms and Exposures Prior to Entry¹ into an Educational Institution

¹If child becomes unwell at the facility, place child in an isolation area (physically distant from attendant, ideally outdoors) and follow decision pathways described below.




Symptoms consistent with possible COVID-19 infection in children include: fever $\geq 100.4^{\circ}\text{F}$; new cough (different from baseline); diarrhea or vomiting. ***If the child's symptoms are not consistent with possible COVID-19 infection but there is still concern, evaluation of the child by a medical provider is recommended.***

Decision Pathways for Contacts of a Potentially Infected Child¹ at an Educational Institution

¹A **potentially infected child** is defined as a child with 1 or more symptoms consistent with possible COVID-19 infection. Symptoms include fever $\geq 100.4^{\circ}\text{F}$; new cough (different from baseline); diarrhea or vomiting.

A **contact of a potentially infected child** is a child or employee at the facility who was in close contact (within 6 feet for >15 cumulative minutes in a 24-hour period) with a potentially infected child; had direct contact with bodily fluids/secretions from a potentially infected child; or is a member of a classroom or cohort with exposure to a potentially infected child.




²**Exposure is confirmed** for the contact of a potentially infected child if the Institution receives notification that the potentially infected child had a positive COVID-19 diagnostic viral test OR received a diagnosis of COVID-19 infection from a medical provider.

**Screening and Exposure Decision Pathways for
Employees at an Educational Institution and Their Close Contacts at the
Facility**

Decision Pathways for Employees Screened for Symptoms and Exposures Prior to Entry¹ into an Educational Institution

¹If employee becomes unwell at the facility, place employee in an isolation area (ideally outdoors, physically distant from attendant) and follow decision pathways below.




*Per **CDC interim guidance for businesses and employers (5/2020)**, businesses may consider screening adult employees for symptoms that may be associated with COVID-19 infection, including fever $\geq 100.4^\circ$ or feeling feverish (chills, sweating); new cough (different from baseline); shortness of breath; muscle or body aches; diarrhea or vomiting; new loss of taste or smell. ***If the employee's symptoms are not listed above but there is still concern, additional evaluation by a medical provider is recommended.***

Decision Pathways for Contacts of a Potentially Infected Employee¹ at an Educational Institution

¹A **potentially infected employee** is defined as an employee with 1 or more symptoms consistent with possible COVID-19 infection. Symptoms include fever $\geq 100.4^\circ$ or feeling feverish (chills, sweating); new cough (different from baseline); shortness of breath; muscle or body aches; diarrhea or vomiting; new loss of taste or smell.

A **contact of a potentially infected employee** is a child or employee at the facility who was in close contact (within 6 feet for >15 cumulative minutes in a 24-hour period) with a potentially infected employee; had direct contact with bodily fluids/secretions from a potentially infected employee; or is a member of a classroom or cohort with exposure to a potentially infected employee.



²**Exposure is confirmed** for the contact of a potentially infected employee if the Institution receives notification that the potentially infected employee had a positive COVID-19 diagnostic viral test OR received a diagnosis of COVID-19 infection from a medical provider.

Decision Pathways for
Children or Employees with Laboratory-Confirmed COVID-19 Infection
at an Educational Institution and Their Close Contacts at the Facility

Guidance for Child or Employee with Laboratory-confirmed COVID-19 Infection at an Educational Institution

Educational Institution is notified of a child or employee with laboratory-confirmed COVID-19 infection.

Child or employee with laboratory-confirmed COVID-19 infection is sent home.

Child or employee with laboratory-confirmed COVID-19 infection is instructed to isolate at home, away from others.¹

Institution identifies exposed contacts to child or employee with laboratory-confirmed COVID-19 infection while infectious² and notifies contacts of exposure.

¹ Persons with laboratory-confirmed COVID-19 infection should isolate until fever free for 24 hours without fever reducing medication, improved symptoms, and 10 days from beginning of symptoms (or 10 days from test date, if no symptoms).

²The infectious period for an infected person is 48 hours before symptom onset (or test date for persons with no symptoms) until the infected person is no longer required to be isolated.

Decision Pathways for Contacts¹ of a Child or Employee with Laboratory-confirmed COVID-19 Infection at an Educational Institution.

¹A contact of a child or employee with laboratory-confirmed COVID-19 infection is defined as a child or employee at the facility that was within 6 feet of an individual with laboratory-confirmed COVID-19 infection for > 15 cumulative minutes in a 24-hour period; had unprotected direct contact with bodily fluids/secretions from a person with laboratory-confirmed COVID-19 infection; or is a member of a classroom or cohort with exposure to a person with laboratory-confirmed infection.

